

# Attachments Equipment



- ✓ Assured Quality
- ✓ Trusted Experience
- ✓ World Class Service





“

NC Equipment prides itself on being a trusted provider of world class equipment to New Zealand farmers and contractors.

NC Equipment has been sourcing, supplying and servicing Farm Equipment since 1965. All our machinery has been sourced from reputable firms that share our passion for quality, creativity, experience and reliability.

We make it our job to understand our customers and to search for and challenge our suppliers to ensure we are constantly offering the latest industry leading products that meet the evolving needs of agriculture.

## Attachments

Attachments cover any type of tool that fits on the front end loader. We handle the full range from both Hustler and Rata. We specialize in bale forks, silage grabs and bale handlers for both round and square bales. With today's tractors and loaders an amazing range of jobs around the farm can be done easily and safely with these quality attachments.

- **Buckets**
- **Bale and Silage Handling**
- **Forks**
- **Other Attachments**



# Contents

<b>Buckets</b>	<b>4</b>
<b>Bale and Silage Handling</b>	<b>12</b>
<b>Forks</b>	<b>23</b>
<b>Other Attachments</b>	<b>26</b>
<b>Our Range and Service</b>	<b>36</b>







## Buckets

<b>Rata Auger Bucket</b>	5
<b>Rata Bucket Grab</b>	6
<b>Rata Loader Bucket</b>	7
<b>Rata Bulk Bucket</b>	8
<b>Rata Funnel Bucket</b>	9
<b>Rata 4 in 1 Bucket</b>	10
<b>Rata Beet Bucket</b>	11





## Rata Auger Bucket

The auger bucket is the ideal attachment for the front end loader or telehandler. Designed to firstly mix your feed, then feed out the side via the auger chute. Can handle a large variety of feeds including maize, palm kernel and many more.

### Features:

- Twin mixing star agitators prevents bridging and mixes material.
- Auto extending side chute feeds out another 300mm from the bucket.
- Strong folded bucket skin with hard wearing edges.
- Able to be fitted to most loaders and telehandlers.

### Specifications:

MODEL NUMBER	CAPACITY (M³)	WEIGHT (KG)	WIDTH (M)	3 <sup>RD</sup> SERVICE REQUIRED
AB240	1.5	620	2.4	Yes

**Rata**<sup>TM</sup>



## Buckets



### Rata Bucket Grab

The bucket grab is a universal attachment designed for handling a vast range of material from silage to wood chips.

#### Features:

- Hard wearing edges and wear strip protection for longer life.
- Available with fabricated tines for closer spacing.
- Pins and bushes are able to be greased for less wear.
- Rams mounted at the rear of bucket for greater protection.

#### Specifications:

MODEL NUMBER	CAPACITY (M³)	WEIGHT (KG)	WIDTH (M)	3 <sup>RD</sup> SERVICE REQUIRED
BGG180	0.8	490	1.8	Yes
BGG200	0.9	570	2	Yes

**Rata**™





## Rata Loader Bucket

Loader buckets are available in a range of sizes and can be custom built. An on farm essential, Rata know how to build a quality product that lasts.

### Features:

- Optional cutting edge teeth for greater ground penetration.
- Hard-wearing edges and high quality steel plate for longevity.
- Can be made to fit most loaders and material handlers.

### Specifications:

MODEL NUMBER	CAPACITY (M³)	WEIGHT (KG)	WIDTH (M)	3 <sup>RD</sup> SERVICE REQUIRED
LBF120	0.3	160	1.2	No
LBF150	0.4	180	1.5	No
LFB180	0.45	240	1.8	No
LBF200	0.5	280	2.00	No



## Buckets



### Rata Bulk Bucket

Rata's bulk buckets are the efficient option to move materials in high volumes.

#### Features:

- Bolt on cutting edge available for extra wear capacity.
- Hard-wearing edges and high quality steel plate for longevity.
- Can be made to fit most loaders and material handlers.

#### Specifications:

MODEL NUMBER	CAPACITY (M <sup>3</sup> )	WEIGHT (KG)	WIDTH (M)	3 <sup>RD</sup> SERVICE REQUIRED
XSB220	1.9	650	2.2	No
XSB240	2.1	700	2.4	No
XLSB220	3.2	750	2.2	No
XLSB240	3.5	830	2.4	No

**Rata**<sup>TM</sup>





**Rata**<sup>TM</sup>

## Rata Funnel Bucket

The funnel bucket is designed to make filling bags and transferring materials faster and safer. Will handle anything from sand to seed. Ideal for loading seed drills and fertiliser spreaders.

### Features:


- Has hooks at the bottom where large bags of seed/fertilizer can be safely lifted on.
- Hydraulic shutter control, can be operated from the cab.
- Can handle almost any bulk material that flows, a very versatile bucket.

### Specifications:

MODEL NUMBER	CAPACITY (M <sup>3</sup> )	WEIGHT (KG)	WIDTH (M)	3 <sup>RD</sup> SERVICE REQUIRED
FB750	0.75	225	1.5	Yes
FB1000	1	380	2	Yes
FB1340	1.34	428	2.1	Yes



## Buckets



### Rata 4 in 1 Bucket

The 4 in 1 bucket enables you to use one tool to dig, blade, pull back and clamp up. A very handy tool for any construction site or farm.

#### Features:

- Twin ram for greater strength.
- Compact size available for smaller tractors up to 40 HP.
- Bucket teeth or bolt on edges available for more aggressive digging.

#### Specifications:

MODEL NUMBER	CAPACITY (M <sup>3</sup> )	WEIGHT (KG)	WIDTH (M)	3 <sup>RD</sup> SERVICE REQUIRED
4/1150	0.28	350	1.5	Yes
4/1180	0.34	380	1.8	Yes
4/1200	0.37	130	2	Yes
4/1220	0.42	450	2.2	Yes

**Rata**<sup>TM</sup>





## Rata Beet Bucket

The Rata beet bucket was the first to be manufactured in New Zealand, so they know how to build a good one. By scooping the beets up and leaving the soil behind, the roots can then be cleaned or loaded straight into a trailer.

### Features:

- 25mm solid bars, stronger than any pipe design.
- Side skids now included as standard.
- Long base to allow greatest amount of soil to fall through.
- Hard-wearing edges and high quality steel plate for longevity.

### Specifications:

MODEL NUMBER	CAPACITY (M <sup>3</sup> )	WEIGHT (KG)	WIDTH (M)	3 <sup>RD</sup> SERVICE REQUIRED
RB240	1.3	400	2.4	No
RB260	1.4	430	2.6	No
RB300	1.8	520	3	No

**Rata**<sup>TM</sup>





## Bale and Silage Handling

<b>Hustler Softhands</b>	13
<b>Rata Bale Forks</b>	16
<b>Rata Bale Forks/Hitch Combo</b>	17
<b>Rata Silage Grab</b>	18
<b>Rata Push-off Buck Rake</b>	19
<b>Rata Shear Grab</b>	20
<b>Rata Silage Forks</b>	21
<b>Rata Tuskan Bale Handler</b>	22





## Hustler Softhands - CXR

The soft hands are an essential attachment for correct bale handling. Hustler's CXR soft hands are designed for handling round bales, at a great price.

### Features:

- Compact design, means the bale is held close into the tractor.
- Slim profile hands for close stacking.
- Able to be fitted with a range of different mounts.

### Specifications:

MODEL NUMBER	ROUND OR SQUARE BALES	EQUALISER BAR	3RD SERVICE REQUIRED
CXR	Round	Optional	Yes



## Bale and Silage Handling



### Hustler Soft Hands - Compact

The Compact soft hands are designed to handle virtually any size of round and square bale, while still in a compact design.

#### Features:

- Compact design, means the bale is held close into the tractor.
- Slim profile hands for close stacking.
- 3 position adjustable hands to allow closer stacking.

#### Specifications:

MODEL NUMBER	ROUND OR SQUARE BALES	EQUALISER BAR	3RD SERVICE REQUIRED
Compact	Both	Optional	Yes







## Hustler Soft Hands - Mega

The Mega is designed for the large scale farmer and contractor. It will handle any size and type of bale.

Features:

- Compact design, means the bale is held close into the tractor.
- Slim profile hands for close stacking.
- 3 position adjustable hands to allow closer stacking.
- Due to it's large construction, it will handle every bale type and size.

Specifications:

MODEL NUMBER	ROUND OR SQUARE BALES	EQUALISER BAR	3RD SERVICE REQUIRED
Mega	Both	Standard	Yes



## Bale and Silage Handling



### Rata Bale Forks

Rata's most popular attachment has always been the bale fork. Proven over 30 years, they're available in different tine lengths and made to fit a wide range of loaders and tractors.

#### Features:


- Strong, proven RHS box section.
- Specified with German silage tines. Less prone to snapping than other brands.
- Available as a high back option to be able to handle multiple bales safely.
- Comes standard with a removable centre tine to hold the bale more securely.

#### Specifications:

MODEL NUMBER	CAPACITY (KG)	WEIGHT (KG)	TINE LENGTH (M)	3 <sup>RD</sup> SERVICE REQUIRED
BF800	1500	80	0.8	No
BF980	1500	80	1	No
BF110	1500	80	1.1	No
BF120	1500	80	1.2	No

**Rata**<sup>TM</sup>





**Rata**<sup>TM</sup>

### Rata Bale Forks/Hitch Combo

Designed to do two jobs with one attachment. Tow your bale wrapper to the job, drop the tines on the hitch and transport bales to the wrapper without changing attachment.

#### Features:

- The same frame can take different size hooks to give greater towing capacity.
- Replaceable wear plate around hook, means the whole attachment doesn't need to be replaced.
- Hitch has a centre see through piece, resulting in great vision of pin while reversing.

#### Specifications:

MODEL NUMBER	CAPACITY (KG)	WEIGHT (KG)	TINE LENGTH (M)	3 <sup>RD</sup> SERVICE REQUIRED
3PLDH/BF	10000 / 15000	110	1.1	No



## Bale and Silage Handling



### Rata Silage Grab

The silage grab is designed and built with a long service life in mind. Ideal for high volume silage handling, and due to their large opening they can also be used for round and square bales.

#### Features:

- Open back frame gives excellent vision of the handled product
- Quality German forged steel tines are used for greater strength
- Twin ram for a more powerful and equalised grab.
- Fabricated tine available instead of forged tine, for an economical option.


#### Specifications:

MODEL NUMBER	CAPACITY (M <sup>3</sup> )	WEIGHT (KG)	WIDTH (M)	3 <sup>RD</sup> SERVICE REQUIRED
ASG120	0.67	220	1.2	Yes
ASG150	0.75	270	1.5	Yes
ASG180	0.9	320	1.8	Yes
ASG200	1.2	360	2	Yes

**Rata**<sup>TM</sup>



## Bale and Silage Handling



### Rata Push-off Bucket Rake

Designed for high HP tractors the buck rake is designed for continuous performance when working on your silage stack.

#### Features:

- Uses high strength nylon rollers. Reduces maintenance requirements.
- Single ram for cost effectiveness and low maintenance.
- Uses forged conus 2 steel tines for greater strength.

#### Specifications:

MODEL NUMBER	WEIGHT (KG)	WIDTH (M)	3 <sup>RD</sup> SERVICE REQUIRED
HS240	620	2.4	Yes
HS241	700	3	Yes

**Rata**<sup>TM</sup>



## Bale and Silage Handling



### Rata Shear Grab

With the clean cut of a Rata shear grab, you get a sealed silage pit face, eliminating secondary fermentation.



#### Features:

- Serrated teeth for a clean and fast cut.
- Filled in front for greater cubic capacity.
- Vertical bar back frame for greater vision through the grab.

#### Specifications:

MODEL NUMBER	CAPACITY (M <sup>3</sup> )	WEIGHT (KG)	WIDTH (M)	3 <sup>RD</sup> SERVICE REQUIRED
SHG120	0.58	440	1.2	Yes
SHG150	0.73	480	1.5	Yes
SHG180	0.88	520	1.8	Yes

**Rata**<sup>TM</sup>





## Rata Silage Forks

The silage fork is designed for handling pit silage and light tree prunings. Manufactured to fit almost any front end loader or material handler.

### Features:

- Vertical bars in back frame to give best operator vision.
- Uses high quality German silage tines.
- Strong, proven RHS box section frame.


### Specifications:

MODEL NUMBER	WEIGHT (KG)	WIDTH (M)	3 <sup>RD</sup> SERVICE REQUIRED
SF120	130	1.2	No
SF150	150	1.5	No
SF180	180	1.8	No
SF200	210	2	No

**Rata**<sup>TM</sup>



## Bale and Silage Handling



### Rata Tuskan Bale Handler

The Tuskan Bale Handler enables you to clamp bales rather than fork them, which means the strings can be cut on the ground. It saves the operator having to climb unsafely into the feed out machine.

#### Features:

- The only bale handling device like this available.
- Will handle all bale types, including soggy ones!
- Turns bales side on, so you can cut the strings away from the mixer.

#### Specifications:

MODEL NUMBER	WEIGHT (KG)	WIDTH (M)	3 <sup>RD</sup> SERVICE REQUIRED
TUS250	390	1.6	Yes

**Rata**<sup>TM</sup>



# Forks

<b>Rata Log Forks</b>	24
-----------------------	----

<b>Rata Pallet Forks</b>	25
--------------------------	----





## Forks



### Rata Log Forks

The log fork is designed for handling logs, posts, building poles and other wooden products. Perfect for forestry workers and fencing contractors alike.

#### Features:

- Available in 3x different models, choosing between manual and hydraulic with single or double ram.
- Single ram model has the ability to clamp on a post for post removal.
- Roll back safety frame.

#### Specifications:

MODEL NUMBER	CAPACITY (KG)	WEIGHT (KG)	3 <sup>RD</sup> SERVICE REQUIRED
LGF01	1500	100	No
LGF04S	1500	250	Yes
LGF04T	2000	360	Yes

**Rata**<sup>TM</sup>





## Rata Pallet Forks

Pallet forks are a great attachment for a variety of loading duties around the farm and construction site.

### Features:

- Fixed width forks available as an economical option.
- Box section construction for greater strength.
- Optional hydraulic side shift.

### Specifications:

MODEL NUMBER	CAPACITY (KG)	WEIGHT (KG)	3 <sup>RD</sup> SERVICE REQUIRED
AWPF05	500	80	No
AWPF1	1000	130	No
AWPF5	1500	150	No
AWPF8	1800	175	No
AWPF25	2500	280	No





## Other Attachments

<b>Rata Bin Rotator</b>	27
<b>Rata Bag Lifter</b>	28
<b>Rata Certified Lifting Jib</b>	29
<b>Rata Draw Bar Hitch</b>	30
<b>Hustler Draw Bar Hitch</b>	31
<b>Rata Man Cage</b>	32
<b>Rata V Snow Plough</b>	33
<b>Rata Versatile Grapple</b>	34
<b>Rata Yard Scraper</b>	35





### Rata Bin Rotator

With the operator in mind, this bin rotator has excellent fork vision and operation time of the 180 degree rotation. The lifted object is fully supported while being tipped or rotated, thanks to its unique design.

#### Features:

- Choice of either clockwise or anti clockwise rotation action.
- A bearing is used for the rotor, rather than pins, for a longer lasting life.
- Fully greasable pivot points for reduced wear.

#### Specifications:

MODEL NUMBER	CAPACITY (KG)	WEIGHT (KG)	3 <sup>RD</sup> SERVICE REQUIRED
BR150	1500	450	Yes
BR250	2500	490	Yes

**Rata**<sup>TM</sup>



## Other Attachments



### Rata Bag Lifter

Designed to handle bulk bags with ease, while being a safer option for the operator.



#### Features:

- Clear view of load at all time for easier handling.
- Side arm stabilisers to prevent bags swinging.
- Can be made to fit any loader or telehandler.

#### Specifications:

MODEL NUMBER	CAPACITY (KG)	WEIGHT (KG)	3 <sup>RD</sup> SERVICE REQUIRED
BL1000	1000	250	No

**Rata**<sup>TM</sup>





### Rata Certified Lifting Jib

The lifting jib is the safest system for handling construction components, from a chain or wire rope. Lift beams or concrete blocks into position, with precision.

#### Features:

- This can be made to individual requirement for different specifications.
- Certified for NZ construction sites.

#### Specifications:

MODEL NUMBER	CAPACITY (KG)	WEIGHT (KG)	REACH LENGTH (M)	3 <sup>RD</sup> SERVICE REQUIRED
LJ250	2500	250	2.4	No
LJ300	3000	220	0.6	No
LJ600	6000	260	0.6	No

**Rata**<sup>TM</sup>



## Other Attachments



### Rata Draw Bar Hitch

The draw bar hitch, or quick hitch as it's better known as, is a necessary item for every farm. Makes hooking up all those implements an easy task, and simply pull the rope when you want to disconnect whatever you're towing.

#### Features:

- The same frame can take different size hooks to give greater towing capacity.
- Replaceable wear plate around hook, means the whole attachment doesn't need to be replaced.
- Hitch has a centre see through piece, resulting in great vision of pin while reversing.

#### Specifications:

MODEL NUMBER	CAPACITY (KG)	WEIGHT (KG)	3 <sup>RD</sup> SERVICE REQUIRED
3PLDH2	10,000	60	No
3PLDH3	15,000	60	No

**Rata**<sup>TM</sup>





### Hustler Draw Bar Hitch

With the Hustler swift hitch, or quick hitch as it's also known as, they'll be no more getting on and off the tractor for coupling. Designed tough, just like their balefeeders!

#### Features:

- Available in a super heavy duty cat. 3 design.
- Replaceable pin and wear-pad kit. Wear-pad can be replaced without welding.
- Hitch has a centre see through piece, resulting in great vision of pin while reversing.

#### Specifications:

MODEL NUMBER	CAPACITY (KG)	WEIGHT (KG)	3 <sup>RD</sup> SERVICE REQUIRED
5005770	10,000	65	No
5005783	15,000	65	No



## Other Attachments



### Rata Man Cage

Rata's man cages are completely certified and comply with the OSH health and safety guidelines.

#### Features:

- Fully custom made to whatever specifications you require.
- Galvanised frame for rust protection.
- Safety anchor points for increased safety when using a harness.

#### Specifications:

MODEL NUMBER	CAPACITY (KG)	WEIGHT (KG)	3 <sup>RD</sup> SERVICE REQUIRED
MC001	500	270	No

**Rata**<sup>TM</sup>





### Rata V Snow Plough

The V shaped snow plough is designed for fast ploughing over unsealed surfaces like paddocks and gravel roads.

#### Features:

- The most economical option for farmers wanting to clear tracks for stock.
- High strength steel wear edges.
- Available with hydraulic options and auto reset trip blade.

#### Specifications:

MODEL NUMBER	WEIGHT (KG)	3 <sup>RD</sup> SERVICE REQUIRED
SP300-10V	400	No

**Rata**<sup>TM</sup>



## Other Attachments



### Rata Versatile Grapple

This attachment, as its name suggests, is the most versatile attachment available! It can be used for handling logs, tree removal, prunings, and is tough enough to handle rocks and concrete.

#### Features:

- 16mm solid steel tines for greater strength.
- Opens up to a massive 1.3 meters. Ideal for handling bulky material.
- Twin ram for exceptional clamping force.

#### Specifications:

MODEL NUMBER	WEIGHT (KG)	WIDTH (M)	3 <sup>RD</sup> SERVICE REQUIRED
VG160	390	1.6	Yes
VG180	420	1.8	Yes
VG200	470	2	Yes
VG220	510	2.2	Yes
VG240	550	2.4	Yes

**Rata**<sup>TM</sup>





### Rata Yard Scraper

The yard scraper is a purpose built attachment for clearing effluent from the cow shed or feed pad.



#### Features:

- Large 150mm x 60mm rubber blade edge designed to be used on concrete. It is also reversible.
- Side wheels included as standard to enable operator to go right up against curbing.
- Adjustable width from 2.4m to 3.0m.

#### Specifications:

MODEL NUMBER	WEIGHT (KG)	3 <sup>RD</sup> SERVICE REQUIRED
YS324	240	No

**Rata**<sup>TM</sup>





## Our Range and Service

<b>Our Values</b>	37
<b>Our Commitment</b>	38
<b>Equipment Catalogues</b>	39





“

Our values are the qualities, customs, standards, principles and culture that the company believes will help it and its employees succeed. They are the basis for what we do and how we do it. Taken together, they identify NC Equipment's overarching value of TRUST.

### ✓ **Assured Quality**

We are committed to the pursuit of Excellence and realize that leading edge innovation defines our future. We will provide what is superior and distinctive, something that fills real needs, and provides lasting value. Continuous improvement is a way of life and individuals are encouraged to challenge the 'status quo' sharing ideas, suggestions and best practices to improve the effectiveness and quality of our products, services and team.

### ✓ **Trusted Experience**

We are genuinely interested in our customer's needs, problems or complaints, and set aggressive goals in relation to responding, analysing and solving them. We will be truthful, honest, sincere and frank with our customers, colleagues, vendors and competitors and will not compromise our ethics or integrity in the name of profit. We will each be held accountable for what we say and do, competing for the shareholders based on the results we produce.

### ✓ **World Class Service**

We recognize that this is a competitive market and in order to 'WOW' our customers we are committed to continuously developing our knowledge, systems and service preforming above the standard for our industry. We are loyal and devoted to caring for each other, the environment and the property of our clients and company whilst upholding respect for authority, family values and heritage.



## Our Commitment



“

Machinery is the livelihood for a lot of our customers and when things go wrong it's our support that counts.

### Parts

We stock a huge range of spare parts and consumables for our large range of machinery and can also source parts for many other brands. Our knowledgeable and friendly parts team look forward to assisting you with any parts requirements in-store or by phone, and more often than not will have you up and running the same day!

### Service

As a company we are committed to fulfilling the needs of our customers providing 'World Class' customer service and support from day one. Whatever the request, time of day or location, you can rely on our team of experienced and qualified service technicians to ensure your equipment is kept in action 24/7!




# Equipment Catalogues

“

If you combine a passion for machinery, farming and innovation, you get a specialist focusing on nine key equipment categories for today's modern Farmer.

Ask about our other Equipment Catalogues.







✓ Assured Quality    ✓ Trusted Experience    ✓ World Class Service

0800 908 908 | [www.ncequipment.co.nz](http://www.ncequipment.co.nz)

  
**EQUIPMENT**  
Trusted by Farmers for Over 50 Years